

ATTACHMENT TO INTERVIEW OF DECEMBER 1, 2008

The following amendments to the claims for consideration of an allowance of the instant application in view of proposed Examiner's Amendments:

Claims 11, 29, 33 and 41 have been cancelled.

In **Claim 1, line 6, insert after "DNA," and before "and"** the following:

----- wherein the transforming is performed at a temperature of between 60° and 75° C using (i) a mineral acid, (ii) a base, or (iii) an organic acid, ----.

In **Claims 31 and 32, add before the "."** following :

----- characterized in that the amount of DNA in the riboflavin crystals of step (d) is below about 0.2 parts per billion -----.

Upon approval of the above amendments this Examiner will allow the claims.

Examiner requested a decision within a few days.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to HERBERT J. LILLING whose telephone number is 571-272-0918. The examiner can normally be reached on WORK AT HOME MAXIFLEX.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, JON WEBER can be reached on 571-272-0925. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

H.J.Lilling: HJL
(571) 272-0918

Art Unit **1657**

December 15, 2008

/HERBERT J LILLING/
Primary Examiner Art Unit 1657